




## A101 Portable Power Station



## Quick Start Guide



# Warranty Card

Warranty Period 12 months from the date of purchase

Purchase Date Year Month Day

Product Name A101

Brand Flashfish

Thank you for buying from Flashfish

If you have any questions or need technical support, please contact us directly via the follow contact details.

When you apply for a return or replacement, please remember to provide us some pictures or a video regarding the exact issue of the product. So that we can handle the after-sales service for you in the first time.

Email: [info@flashfishtech.com](mailto:info@flashfishtech.com)

Website: [www.flashfishtech.com](http://www.flashfishtech.com)





Flashfish warrants our products to the original purchaser that the solar generator is free from defects in materials and workmanship. You can choose between a refund or replacement. where goods are faulty or doesn't do what is is supposed to do for 12 months from the date of purchase.

Damages from normal wear and tear, alteration, misuse, neglect, accident, service by Warranty anyone other that authorized service center are not included.



Made In China

# Schematic Diagram



# BUTTON DESCRIPTION

## Power ON/OFF Button:

1. Short press to turn screen on (it will turn off after 10 seconds automatically if no further operation)
2. Short press again to turn USB-A, USB-C, and DC power on (it will turn off after 40 seconds automatically if no further operation)
3. Long press for 3 seconds to turn off the output, long press again for about 3 seconds to turn off the A101.

## AC Power Button:

1. In order to turn on AC, short press Power ON/OFF Button: to turn screen on first
2. Then long press the AC Power button for 3s to turn on AC power
3. Long press for 3s again to turn it off

## LED Light ON/OFF Button:

1. Long press the LED button for 3s to turn on LED light
2. Short press the LED button for to turn on SOS mode
3. Short Press again to turn off LED light

## Note:

- (1) To turn AC power on, need to turn on screen first.
- (2) The AC power won't turn off automatically even it's not in used, please long press the AC power button for 3s to turn it off to save power.

## Technical Parameters

Model	A101
Battery Capacity	26400mAh/98Wh
AC Output	rated 120W Peak 240W
DC Output	12V/10A (MAX)
USB-A1/A2	QC 3.0 18W
USB-C1/C2	PD 18W
LED	5W
DC Input(Adapter)	12V/2A
Solar Charging	18V-24V
Cycles	>800 times
Operation Temperature	-4°F~104°F
Weight	2.64lb
Size	L6.22in*W6.22in*H3.54in
Warranty	12 months from the date of purchase

## Note:

In order to meet the priority of AC power supply, when AC output, DC 12V output will be automatically turned off

## LED Display

The display shows the product's battery power percentage and charging and discharging status etc

1. The information on the left side of the display indicates the battery power percentage of the product, and LED light icon;
2. The information on the right side of the display indicates the output of the product;
3. Related status display on the screen, you can refer to more information about the product's functions.

## Charging Method

Please charge the product fully before the first time to use and storage. Normally when the battery power is less than 10%, please charge it in time. When the display shows that the current battery level is 100%, it means charging is complete.



Support power adapter charging  
(DC 12V/2A)



Support car charging  
(12V)



Support solar charging  
(DC18-24V)


## Important Information

### CAUTION


When using this product, you should always follow the basic precautions as follows:

1. The first time to use or before storing, connect the product to the power outlet until it is fully charged. If the screen shows that the power is less than 10%, Please charge it as soon as possible.
2. In order to reduce the risk, if using this product when children are nearby, close supervision is required;
3. Using the accessories recommended or sold by non-professional product manufacturers may cause the risk of electric shock;
4. When the product is not in use, please pull the power plug out of the product socket;
5. Please do not disassemble the product, it may cause fire, electric shock or injury risk and unpredictable risk;
6. Do not use damaged wires or plugs, or damaged output cables to use the product, as there is a risk of electric shock;
7. Please charge the product in a well-ventilated place, do not restrict the ventilation of the product in any way, Please charge at least once every 3 months;
8. It's not waterproof. Please place the product in a ventilated and dry place to avoid rain and water, and there is a risk of electric shock when the product enters the water;
9. Do not expose the product to fire or high temperature. Exposure in fire or temperatures higher 130°C may explode;
10. The speed of solar charging depends on weather conditions, place your solar panel where it can get as much direct sunlight as possible.

## Packing list




Portable power station




car charger



car charger  
socket



AC power adapter



instruction manual

## Common Problem

1. How to judge the storage power of the product?  
Please refer to the instructions on the display to check the battery level of the product: the battery status is indicated by the percentage of the battery level on the display. The product can be used without being fully charged.
2. Can the product be taken on the plane?  
Yes. According to airline transportation standards, the capacity of lithium battery products carried cannot exceed 100Wh, and the capacity of this product has reached 98Wh.